

DECLARATION OF PERFORMANCE

No 0010_Knauf_Nonius-Klammer_C3-C5M_2017-09-29

1 2	. Unique identification code of the product-type: 2. Intended use/es:	Suspension component – Knauf Nonius-Klammer C3-C5M suspended ceiling substructure component for use internally in buildings
3	8. Manufacturer:	Knauf Gips KG Am Bahnhof 7 D-97346 Iphofen Tel: +49 (9323) 31-0 Fax: +49 (9323) 31-277 e-mail: zentrale@knauf.de
4	Authorised representative:	not relevant
5	5. System/s of AVCP:	System 3 for reaction to fire / load bearing capacity System 4 for other characteristics
6	a) Harmonised standard:	EN 13964:2014
	Notified body/ies:	MPA Braunschweig (NB 0761) for load bearing capacity Forschungsinstitut fem for durabiltiy (corrosion protection)
6	b. b) European Assessment Document:	not relevant
	European Technical Assessment:	not relevant
	Technical Assessment Body:	not relevant
	Notified body/ies:	not relevant

7. Declared performance/s:

Essential characteristics		Performance
Reaction to fire	R2F	A1
Load bearing capacity *		
- Substructure		NPD
- Suspension components and		
fasteners		400 N
- Top fixing of suspension components		
and		
perimeter trim fixings		NPD
- Tolerances and dimensions		pass
Resistance to fixings		NPD
Durability		class D
Dangerous substances	DS	NPD

* Respect the load-bearing capacity of further components of the substructure including the anchoring on the building structure.

8. Appropriate Technical Documentation and/or Specific Technical Documentation:

not relevant

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Iphofen, 2017-09-29

Runle

i. V. Dr. Wolfgang Rümler (Head of Research & Development D/CH | Knauf Gips KG)

M. Vicoal

i. V. Dipl. Ing. (FH) | MBA & Eng. Michael Viebahn (Head of Drywall Systems D/CH | Knauf Gips KG)