

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form		
Product name		

: Mixture : GIFAbond uno EC 1

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses
Main use category
Use of the substance/mixture

Professional use,Industrial useGlue and sealers

1.2.2. Uses advised against No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

Knauf Integral KG KNAUFINTEGRALK 74589 Satteldorf - Germany T 07951/4970 - F 07951/497300 info@knauf-integral.de - https://www.knauf-integral.de E-mail address of competent person responsible for the SDS : <u>sds-info@knauf.de</u>

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Irrit. 2	H315
Eye Irrit. 2	H319
Resp. Sens. 1	H334
Skin Sens. 1	H317
Carc. 2	H351
STOT SE 3	H335
STOT RE 2	H373

Full text of hazard classes, H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Extra labelling to displayExtra classification(s) to display

Hazard pictograms (CLP)



Signal word (CLP) Hazardous ingredients

- : Danger
- : 4,4'-methylenediphenyl diisocyanate, o-(p-isocyanatobenzyl)phenyl isocyanate, 2,2'-Methylendiphenyldiisocyanat, Diphenylmethanediisocyanate, isomeres and homologues

Safety Data Sheet

according to Regulation (EU) 2015/830



Hazard statements (CLP)	 H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 - May cause respiratory irritation. H351 - Suspected of causing cancer. H373 - May cause damage to organs (respiratory system) through prolonged or repeated exposure (if inhaled).
Precautionary statements (CLP)	 P201 - Obtain special instructions before use. P260 - Do not breathe vapours, spray. P280 - Wear protective gloves, protective clothing, eye protection, face protection. P284 - Wear respiratory protection. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 - IF exposed or concerned: Get medical advice/attention.
EUH-statements	: EUH204 - Contains isocyanates. May produce an allergic reaction.
Extra phrases	: Reserved for industrial and professional use As from 24 August 2023 adequate training is required before industrial or professional use

Labelling according to Directive 67/548/EEC or 1999/45/EC

2.3. Other hazards	
Other hazards which do not result in classification	: People with acute or chronic allergies are not allowed to work or to be exposed to the product.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Diphenylmethanediisocyanate, isomeres and homologues	(CAS-No.) 9016-87-9	10 - < 25	Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Resp. Sens. 1, H334 Skin Sens. 1, H317 Carc. 2, H351 STOT SE 3, H335 STOT RE 2, H373
4,4'-methylenediphenyl diisocyanate	(CAS-No.) 101-68-8 (EC-No.) 202-966-0 (EC Index-No.) 615-005-00-9 (REACH-no) 01-2119457014-47	1 - < 10	Carc. 2, H351 Resp. Sens. 1, H334 Skin Sens. 1, H317 Acute Tox. 4 (Inhalation), H332 STOT RE 2, H373 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
o-(p-isocyanatobenzyl)phenyl isocyanate	(CAS-No.) 5873-54-1 (EC-No.) 227-534-9 (EC Index-No.) 615-005-00-9 (REACH-no) 01-2119480143-45	1-<5	Carc. 2, H351 Resp. Sens. 1, H334 Skin Sens. 1, H317 Acute Tox. 4 (Inhalation), H332 STOT RE 2, H373 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335

Safety Data Sheet

according to Regulation (EU) 2015/830



(0,1 ≤C < 100) Resp. Sens. 1, H334

(5 ≤C < 100) Éye Irrit. 2, H319

(5 ≤C < 100) Skin Irrit. 2, H315

(5 ≤C < 100) STOT SE 3, H335

2,2'-Methylendiphenyldiisocyanat	(CAS-No.) 2536-05-2 (EC-No.) 219-799-4 (EC Index-No.) 615-005-00-9 (REACH-no) 01-2119927323-43	0,1 - < 1	Carc. 2, H351 Resp. Sens. 1, H334 Skin Sens. 1, H317 Acute Tox. 4 (Inhalation), H332 STOT RE 2, H373 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335	
Specific concentration limits:				
Name	Product identifier	Specific co	Specific concentration limits	
Diphenylmethanediisocyanate, isomeres and homologues	(CAS-No.) 9016-87-9	(0,1 ≤C < 100 (5 ≤C < 100) (5 ≤C < 100) (5 ≤C < 100)	(0,1 ≤C < 100) Resp. Sens. 1, H334 (5 ≤C < 100) STOT SE 3, H335 (5 ≤C < 100) Skin Irrit. 2, H315 (5 ≤C < 100) Eye Irrit. 2, H319	
4,4'-methylenediphenyl diisocyanate	(CAS-No.) 101-68-8 (EC-No.) 202-966-0 (EC Index-No.) 615-005-00-9 (REACH-no) 01-2119457014-47	(0,1 ≤C < 100 (5 ≤C < 100) (5 ≤C < 100) (5 ≤C < 100) (5 ≤C < 100)	(0,1 ≤C < 100) Resp. Sens. 1, H334 (5 ≤C < 100) STOT SE 3, H335 (5 ≤C < 100) Skin Irrit. 2, H315 (5 ≤C < 100) Eye Irrit. 2, H319	
o-(p-isocyanatobenzyl)phenyl isocyanate	(CAS-No.) 5873-54-1 (EC-No.) 227-534-9 (EC Index-No.) 615-005-00-9 (PEAC-L-no.) 01-2119480143-45	(0,1 ≤C < 100 (5 ≤C < 100) (5 ≤C < 100) (5 ≤C < 100))) Resp. Sens. 1, H334 STOT SE 3, H335 Skin Irrit. 2, H315 Eve Irrit. 2, H319	

(CAS-No.) 2536-05-2

(EC Index-No.) 615-005-00-9

(REACH-no) 01-2119927323-43

(EC-No.) 219-799-4

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

2,2'-Methylendiphenyldiisocyanat

4.1. Description of first aid measures First-aid measures general : First aider: Pay attention to self-protection!. Do not give an unconscious person anything to drink : Move the affected person away from the contaminated area. Move to fresh air. If breathing First-aid measures after inhalation stops, give artificial respiration. If unconscious place in recovery position and seek medical advice. If symptoms persist call a doctor. Wipe off dry product from skin. After contact with skin, wash immediately and thoroughly with First-aid measures after skin contact polyethylene glycol, followed by plenty of water. Wash with plenty of soap and water. Take off immediately all contaminated clothing. If skin irritation occurs: Get medical advice/attention. First-aid measures after eye contact In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Remove contact lenses, if present and easy to do. Continue rinsing. The attending physician of this safety data sheet. First-aid measures after ingestion If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting. Immediately give plenty of water. Immediately consult a doctor/medical service. 4.2. Most important symptoms and effects, both acute and delayed Symptoms/effects : Headache. Damage to central nervous system. Asthmatic complaints. Shortness of breath. Symptoms/effects after inhalation : Cough. Irritation to throat and respiratory system. Symptoms/effects after skin contact : Dermatitis. Dry skin. May cause eczema. Irritation to skin.

4.3. Indication of any immediate medical attention and special treatment needed

Treat with corticosteroid spray as soon as possible after inhalation. Symptoms may be delayed. Risk of lung oedema.

SECTION 5: Firefighting measures

5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Alcohol-resistant foam. Dry powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	: Strong water jet.
5.2. Special hazards arising from the substan	ce or mixture
Explosion hazard	: Prolonged exposure to fire may cause containers to rupture/explode.
Hazardous decomposition products in case of fire	: release of (highly) toxic gases/vapours. Carbon oxides (CO, CO2). Nitrogen oxides. Isocyanates. hydrogen cyanide; hydrocyanic acid.
5.3. Advice for firefighters	
Firefighting instructions	: Cool endangered containers with water spray jet.

Safety Data Sheet

according to Regulation (EU) 2015/830



Desta stise during finaficiating	
	and chemically protective clothing.
Other information	 Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Ensure adequate ventilation. Avoid contact with skin and eyes. Avoid inhalation of vapours. If spilled, may cause the floor to be slippery.

6.1.1. For non-emergency personnel

6.1.2. For emergency responders

6.2. Environmental precautions

Avoid release to the environment. Do not allow to enter drains or water courses. In case of contamination of soil or water bodies notify the competent authorities.

6.3. Methods and material for cont	ainment and cleaning up
For containment	: Contain the spilled material by bunding. Stop leak without risks if possible.
Methods for cleaning up	: Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).
Other information	Shovel into suitable and closed container for disposal. Do not keep the container sealed. Keep material wet. Container can be pressurised by carbon dioxide due to reaction with humid air and/or water.
6.4. Reference to other sections	

6.4. Reference to other sections

See Heading 8. See Heading 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Avoid contact with skin and eyes. Avoid inhalation of vapours. Wash hands before breaks and after work. Wear personal protective equipment. Take off contaminated clothing and wash it before reuse.
7.2. Conditions for safe storage, inclu	iding any incompatibilities
Storage conditions	: Keep container tightly closed. Store in a flat and stable position. Store in a dry, cool and well- ventilated place. Keep away from heat. Keep out of direct sunlight. Access forbidden to unauthorised personnel. Keep only in original container. Do not expose to temperatures exceeding 50 °C/ 122 °F.
Storage temperature	: 15 – 25 °C
Information on mixed storage	: Keep away from food, drink and animal feeding stuffs.
7.3. Specific end use(s)	

adhesives.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Appropriate engineering controls:

Ensure adequate ventilation. Provide adequate general and local exhaust ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Specific methods. TRGS 402: Identification and Assessment of the Risks from Activities involving Hazardous Substances: Inhalation Exposure. Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

Hand protection:

Safety Data Sheet

according to Regulation (EU) 2015/830



Barrier cream

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Chemically resistant protective gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	≥0.35	Please follow the instructions related to the permeability and the penetration time provided by the manufacturer	EN ISO 374

Eye protection:

Safety glasses with side shields. EN 166

Skin and body protection:

Wear suitable protective clothing. Long sleeved protective clothing. safety foot-wear

Respiratory protection:

Device	Filter type	Condition	Standard
Respiratory protection	A2/P2	Threshold exceeded	EN 14387



Consumer exposure controls:

Ensure adequate ventilation, especially in confined areas. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	:	Liquid
Appearance	:	Paste.
Colour	:	According to product specification
Odour	:	characteristic.
Odour threshold	:	No data available
рН	:	No data available
Relative evaporation rate (butylacetate=1)	:	No data available
Melting point	:	No data available
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Flammability (solid, gas)	:	No data available
Vapour pressure	:	No data available
Relative vapour density at 20 °C	:	No data available
Relative density	:	No data available
Density	:	≈ 1,53 g/cm³ (20 °C)
Solubility	:	Water: Not miscible
Partition coefficient n-octanol/water (Log Pow)	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	No data available
Explosive properties	:	Product is not explosive.
Oxidising properties	:	Not oxidising.
Explosive limits	:	No data available
9.2. Other information		
VOC content	:	0 g/l

Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with water.

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerization may occur if exposed to high temperature. Exothermic reaction on contact with : Alcohol. Amines. acids and bases. Water. Exothermal decomposition with formation of. Carbon dioxide (CO2). Closed containers may generate internal gas pressure. Risk of bursting.

10.4. Conditions to avoid

Moisture. Heat.

10.5. Incompatible materials

Amines. acids and bases. alcohols. Water.

10.6. Hazardous decomposition products

Does not decompose when used for intended uses. Toxic gases may be formed. Carbon oxides (CO, CO2). Nitrogen oxides. Isocyanates. Hydrogen cyanide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity :	Not classified	
ATE CLP (vapours)	> 20 mg/l/4h	
4,4'-methylenediphenyl diisocyanate (101-68-8)		
LD50 oral rat	> 2000 mg/kg bodyweight (Rat, Male / female, Read-across, Oral, 14 day(s))	
LD50 dermal rabbit	> 9400 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Read-across, Dermal, 14 day(s))	
LC50 Inhalation - Rat	0,49 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Read-across, Inhalation (aerosol), 14 day(s))	

diphenylmethane-2,4'-diisocyanate (5873-54-1)		
LD50 oral rat	> 2000 mg/kg bodyweight (Rat, Male / female, Read-across, Oral, 14 day(s))	
LD50 dermal rabbit	> 9400 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Read-across, Dermal, 14 day(s))	
LC50 Inhalation - Rat	0,42 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value of similar product, Inhalation (aerosol))	

1,1'-methylene-bis(2-isocyanatobenzene) (2536-05-2)		
LD50 oral rat	> 2000 mg/kg bodyweight (Other, Rat, Male / female, Read-across, Oral)	
LD50 dermal rabbit	> 9400 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Read-across, Dermal)	
LC50 Inhalation - Rat	527 mg/m ³ air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male, Experimental value, Inhalation (aerosol))	

Diphenylmethanediisocyanate, isomeres and homologues (9016-87-9)		
LD50 oral rat	> 10000 mg/kg (Rat, Literature study, Oral)	
LD50 dermal rabbit	> 5000 mg/kg (Rabbit, Literature study, Dermal)	
LC50 Inhalation - Rat (Dust/Mist)	0,49 mg/l/4h	
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/irritation	Causes serious eye irritation.	
Respiratory or skin sensitisation	May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.	
Germ cell mutagenicity	Not classified	
Carcinogenicity	Suspected of causing cancer.	
Reproductive toxicity	Not classified	
STOT-single exposure	May cause respiratory irritation.	

KNAUF

Safety Data Sheet

according to Regulation (EU) 2015/830



STOT-repeated exposure	:	May cause damage to organs (respiratory system) through prolonged or repeated exposure (if inhaled).
Aspiration hazard	:	Not classified

SECTION 12: Ecological information

12.1. Toxicity

4,4'-methylenediphenyl diisocyanate (101-68-8)		
LC50 - Fish [1]	> 1000 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Read-across, Nominal concentration)	
EC50 - Crustacea [1]	129,7 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 24 h, Daphnia magna, Static system, Fresh water, Read-across, Locomotor effect)	
ErC50 algae	> 1640 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Read-across, GLP)	

diphenylmethane-2,4'-diisocyanate (5873-54-1)		
LC50 - Fish [1]	> 1000 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Read-across, Nominal concentration)	
EC50 - Crustacea [1]	> 1000 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 24 h, Daphnia magna, Static system, Fresh water, Read-across, Nominal concentration)	
ErC50 algae	> 1640 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Read-across, GLP)	

1,1'-methylene-bis(2-isocyanatobenzene) (2536-05-2)		
LC50 - Fish [1]	> 1000 mg/I (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Read-across, GLP)	
EC50 - Crustacea [1]	> 1000 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 24 h, Daphnia magna, Static system, Fresh water, Read-across, GLP)	
EC50 72h - Algae [1]	> 1640 mg/l (OECD 201: Alga, Growth Inhibition Test, Desmodesmus subspicatus, Static system, Fresh water, Read-across, GLP)	

Diphenylmethanediisocyanate, isomeres and homologues (9016-87-9)		
LC50 - Other aquatic organisms [1]	> 1000 mg/l (96 h, Literature study)	

12.2. Persistence and degradability

GIFAbond uno EC 1			
Persistence and degradability	Not readily biodegradable in water. Not readily biodegradable in the soil.		
4,4'-methylenediphenyl diisocyanate (101-68-8)			
Persistence and degradability	Not readily biodegradable in water.		
diphenylmethane-2,4'-diisocyanate (5873-54-1)			
Persistence and degradability	Not readily biodegradable in water.		

1,1'-methylene-bis(2-isocyanatobenzene) (2536-05-2)Persistence and degradabilityNot readily biodegradable in water.

 Diphenylmethanediisocyanate, isomeres and homologues (9016-87-9)

 Persistence and degradability
 Not readily biodegradable in water.

12.3. Bioaccumulative potential

4,4'-methylenediphenyl diisocyanate (101-68-8)		
BCF - Fish [1]	92 – 200 (OECD 305: Bioconcentration: Flow-Through Fish Test, 4 week(s), Cyprinus carpio, Flow-through system, Fresh water, Experimental value, GLP)	
Partition coefficient n-octanol/water (Log Pow)	4,51 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 22 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	

diphenylmethane-2,4'-diisocyanate (5873-54-1)		
BCF - Fish [1]	92 – 200 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Cyprinus carpio, Flow-through system, Fresh water, Read-across, GLP)	
Partition coefficient n-octanol/water (Log Pow)	4,51 (Read-across, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 22 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	

Safety Data Sheet

according to Regulation (EU) 2015/830



1,1'-methylene-bis(2-isocyanatobenzene) (2536-05-2)		
BCF - Fish [1]	92 – 200 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Cyprinus carpio,	
	Flow-through system, Fresh water, Read-across, GLP)	
Partition coefficient n-octanol/water (Log Pow)	5,22 (QSAR, KOWWIN)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	

Diphenylmethanediisocyanate, isomeres and homologues (9016-87-9)		
BCF - Fish [1]	1 (Pisces, Literature study)	
Partition coefficient n-octanol/water (Log Pow)	10,46 (Calculated, KOWWIN)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	

12.4. Mobility in soil

4,4'-methylenediphenyl diisocyanate (101-68-8)		
Surface tension	No data available in the literature	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	4,53 – 5,455 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ecology - soil	Adsorbs into the soil.	
diphenylmethane-2,4'-diisocyanate (5873-54-1)		
Ecology - soil	No (test)data on mobility of the substance available.	
1,1'-methylene-bis(2-isocyanatobenzene) (2536-05-2)		
Ecology - soil	No (test)data on mobility of the substance available.	
DiphenyImethanediisocyanate, isomeres and homologues (9016-87-9)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	9,078 – 10,597 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ecology - soil	Adsorbs into the soil.	

12.5. Results of PBT and vPvB assessment

Component	
Diphenylmethanediisocyanate, isomeres and homologues (9016-87-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
4,4'-methylenediphenyl diisocyanate (101-68- 8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
o-(p-isocyanatobenzyl)phenyl isocyanate (5873-54-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
2,2'-Methylendiphenyldiisocyanat (2536-05-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Sewage disposal recommendations	:	Do not discharge into drains.
Product/Packaging disposal recommendations	:	Disposal must be done according to official regulations. Can be disposed as a solid waste or burned in a suitable installation according to local legislation. Empty remaining contents. Handle uncleaned empty containers as full ones. May be reused following decontamination.
European List of Waste (LoW) code	:	 08 04 09* - waste adhesives and sealants containing organic solvents or other dangerous substances 08 05 01* - waste isocyanates 15 01 10* - packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID				
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

Safety Data Sheet

according to Regulation (EU) 2015/830



ADR	IMDG	ΙΑΤΑ	ADN	RID	
14.3. Transport hazard cla	14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.4. Packing group					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
No supplementary information available					

14.6. Special precautions for user

- Overland transport

Not applicable

- Transport by sea Not applicable

- Air transport Not applicable

- Inland waterway transport Not applicable

- Rail transport Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:			
3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	GIFAbond uno EC 1 ; Diphenylmethanediisocyanate, isomeres and homologues		
56. Methylenediphenyl diisocyanate (MDI)	4,4'-methylenediphenyl diisocyanate ; o-(p-isocyanatobenzyl)phenyl isocyanate ; 2,2'-Methylendiphenyldiisocyanat		
56(a) Methylenediphenyl diisocyanate (MDI) isomers: 4,4'- Methylenediphenyl diisocyanate	4,4'-methylenediphenyl diisocyanate		
56(b) Methylenediphenyl diisocyanate (MDI) isomers: 2,4'- Methylenediphenyl diisocyanate	o-(p-isocyanatobenzyl)phenyl isocyanate		
56(c) Methylenediphenyl diisocyanate (MDI) isomers: 2,2'- Methylenediphenyl diisocyanate	2,2'-Methylendiphenyldiisocyanat		
74. Diisocyanates, O = C=N-R-N = C=O, with R an aliphatic or aromatic hydrocarbon unit of unspecified length	4,4'-methylenediphenyl diisocyanate ; o-(p-isocyanatobenzyl)phenyl isocyanate ; 2,2'-Methylendiphenyldiisocyanat		

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC content

: 0 g/l

15.1.2. National regulations

No additional information available

Safety Data Sheet

according to Regulation (EU) 2015/830

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

This safety data sheet replaces the previous version of 2021/09/10. The following changes were made:

Indication of changes:			
Section	Changed item	Change	Comments
	Extra phrases	Modified	
	Supersedes	Added	
	Revision date	Added	
2.2	Precautionary statements (CLP)	Modified	
2.2	EUH-statements	Added	
3	Composition/information on ingredients	Modified	
10.3	Possibility of hazardous reactions	Modified	
11.1	ATE CLP (vapours)	Added	
15.1	REACH Annex XVII	Added	

Full text of H- and EUH-statements:	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Carc. 2	Carcinogenicity, Category 2
EUH204	Contains isocyanates. May produce an allergic reaction.
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
Resp. Sens. 1	Respiratory sensitisation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation

Knauf SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

