Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 2022/12/16 Revision date: 2022/9/6 Supersedes version of: 2021/12/9 Version: 9.0



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Product name Product code : Mixture : AQUAPANEL® Putzgrundierung

: 15248_0010

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public Main use category Use of the substance/mixture

: Consumer use. Professional use.: Primer

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

Knauf Gips KG Am Bahnhof, 7 DE– 97346 lphofen – Bayern Germany T +49 9323/31-0 - F +49 9323/31-277 <u>zentrale@knauf.de</u> - <u>www.knauf.de</u> E-mail address of competent person responsible for the SDS : <u>sds-info@knauf.com</u>

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

P102 - Keep out of reach of children. P260 - Do not breathe dusts or mists.
P262 - Do not get in eyes, on skin, or on clothing.
EUH210 - Safety data sheet available on request.
EUH208 - Contains 1,2-benzisothiazol-3(2H)-one, mixture of: 5-chloro-2-methyl-2H-
isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6]
(3:1), 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.
EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
Treated article according to Regulation (EU) No 528/2012 to ensure the stability and shelf life.
Contains pyridine-2-thiol 1-oxide, sodium salt (3811-73-2).
MAXIMUM VOC CONTENT LIMIT VALUES FOR PAINTS AND VARNISHES. Product Subcategory: h (Type: WB): 30 g/L.
VOC content: < 2,1 % (< 25 g/l).

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component		
1,2-benzisothiazol-3(2H)-one (2634-33-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) (55965-84-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
2-methyl-2H-isothiazol-3-one (2682-20-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1,2-benzisothiazol-3(2H)-one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6	< 0,05	Acute Tox. 4 (Oral), H302 Acute Tox. 2 (Inhalation), H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)	CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5	< 0,0015	Acute Tox. 2 (Inhalation), H330 Acute Tox. 2 (Dermal), H310 Acute Tox. 3 (Oral), H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)
2-methyl-2H-isothiazol-3-one	CAS-No.: 2682-20-4 EC-No.: 220-239-6 EC Index-No.: 613-326-00-9	< 0,0015	Acute Tox. 2 (Inhalation), H330 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Oral), H301 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Specific concentration limits:			
Name	Product identifier	Specific concentration limits	
1,2-benzisothiazol-3(2H)-one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6	(0,05 ≤C ≤ 100) Skin Sens. 1, H317	
mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)	CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5	(0,0015 ≤C ≤ 100) Skin Sens. 1A, H317 (0,06 ≤C < 0,6) Skin Irrit. 2, H315 (0,06 ≤C < 0,6) Eye Irrit. 2, H319 (0,6 ≤C ≤ 100) Eye Dam. 1, H318 (0,6 ≤C ≤ 100) Skin Corr. 1C, H314	
2-methyl-2H-isothiazol-3-one	CAS-No.: 2682-20-4 EC-No.: 220-239-6 EC Index-No.: 613-326-00-9	(0,0015 ≤C ≤ 100) Skin Sens. 1A, H317	

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Remove contaminated clothing and shoes.
First-aid measures after inhalation	 Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: Rinse and then wash skin thoroughly with water and soap. Do not use solvents or thinners.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth thoroughly with water. Drink plenty of water. Get medical advice/attention.
4.2. Most important symptoms and effe	ects, both acute and delayed
No additional information available	

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: The product is not flammable. Adapt extinguishing media to the environment for surrounding fires. Water spray. Foam. Dry powder. Carbon dioxide.		
Unsuitable extinguishing media	: Strong water jet.		
5.2. Special hazards arising from the	e substance or mixture		
No additional information available			
5.3. Advice for firefighters			

Protection during firefighting

: Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Ensure adequate air ventilation.

6.1.1. For non-emergency personnel

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent entry to sewers and public waters. Avoid release to the environment. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up				
For containment	: Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Disposal must be done according to official regulations.			
Other information	: Spill area may be slippery.			
6.4. Reference to other sections				

7.1. Precautions for safe handling. 8. Exposure controls/personal protection. For further information refer to section 13.

SECTION 7: Handling and stor	age
7.1. Precautions for safe handling	
Precautions for safe handling	: Avoid contact with skin and eyes. Do not breathe gas/fumes/vapour/spray. When spraying avoid inhalation of the aerosol. Ventilate the area thoroughly. Prohibit unauthorized persons
Hygiene measures	: Do not eat, drink or smoke when using this product. Keep away from food, drink and animal feeding stuffs. Wash contaminated clothing before reuse. Wash hands before breaks and after work.
7.2. Conditions for safe storage, in	ncluding any incompatibilities
Storago conditions	· Keep only in original container. Keep out of frest. Protect from sunlight. Store in a well

Storage conditions

: Keep only in original container. Keep out of frost. Protect from sunlight. Store in a wellventilated place.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Wear suitable protective clothing.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Use splash goggles when eye contact due to splashing is possible

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses with side shields			

8.2.2.2. Skin protection

Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
	Nitrile rubber (NBR), Butyl rubber				

8.2.2.3. Respiratory protection

Respiratory protection:

Wear breathing apparatus if exposed to vapours/dusts/aerosols. During spraying wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Consumer exposure controls:

Other protection measures such as segregation of activity, minimisation of personnel, respiratory protection, impervious suits and face shields should also be considered for high dispersion activities which are likely to lead to substantial aerosol or vapour release, e.g. spraying.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: white.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: 0 °C
Freezing point	: 0 °C
Boiling point	: 100 °C
Flammability	: Not available
Explosive properties	: Product is not explosive.
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: ≈ 9 (DIN ISO 976)
Viscosity, kinematic	Not available
Solubility	: Miscible with water.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: ≈ 1,1 kg/l (DIN EN ISO 2811-1)
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content

: < 2,1 % (< 25 g/l)

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

None under normal use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation) 1,2-benzisothiazol-3(2H)-one (2634-33	Not classified Not classified Not classified 3-5)
LD50 oral rat	490 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
ATE CLP (oral)	1020 mg/kg bodyweight
ATE CLP (gases)	100 ppmv/4h
ATE CLP (vapours)	0,5 mg/l/4h
ATE CLP (dust,mist)	0,05 mg/l/4h

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

mixture of: 5-chloro-2-methyl-2H-isot (3:1) (55965-84-9)	hiazol-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-0
LD50 oral rat	66 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s))
LD50 dermal rat	> 141 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	0,17 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimenta value, Calculated by reference to active substance, Inhalation (aerosol), 14 day(s))
ATE CLP (oral)	53 mg/kg bodyweight
ATE CLP (dermal)	200 mg/kg bodyweight
ATE CLP (gases)	700 ppmv/4h
ATE CLP (vapours)	3 mg/l/4h
ATE CLP (dust,mist)	0,5 mg/l/4h
2-methyl-2H-isothiazol-3-one (2682-2	0-4)
LD50 oral rat	120 mg/kg bodyweight (EPA OPPTS 870.1100: Acute Oral Toxicity, Rat, Female, Experimental value, Oral, 7 day(s))
LD50 dermal rat	242 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	0,11 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 7 day(s))
ATE CLP (oral)	120 mg/kg bodyweight
ATE CLP (dermal)	242 mg/kg bodyweight
ATE CLP (gases)	100 ppmv/4h
ATE CLP (vapours)	0,11 mg/l/4h
ATE CLP (dust,mist)	0,11 mg/l/4h
Skin corrosion/irritation	: Not classified pH: ≈ 9 (DIN ISO 976)
Serious eye damage/irritation	: Not classified pH: ≈ 9 (DIN ISO 976)
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

4.0.4	
121	icitv

Hazardous to the aquatic environment, short-term	: Not classified
(acute)	
Hazardous to the aquatic environment, long-term	: Not classified
(chronic)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

LC50 - Fish [1] 2,18 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorthynchus mykiss, Static system, Experimental value, Nominal concentration) EC50 - Crustacea [1] 2,94 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Experimental value, Lethal) ErC50 algae 150 ug/l (OECD 201: Aga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Experimental value, GLP) mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] [311] (55965-84-9) 0.007 mg/l (48 h, Acartia tonsa, Salt water, Experimental value, GLP) 2-methyl-2H-isothiazol-3-one (2682-20-4) ErC50 algae ErC50 algae 0.23 mg/l (Equivalent or similar to OECD 201, 96 h, Pseudokirchneriella subcapitata, Static system, Experimental value, GLP) 2-methyl-2H-isothiazol-3(2H)-one (2634-33-5) Fersistence and degradability Persistence and degradability Not readily biodegradable in water. 2:13) (55965-84-9) Not readily biodegradable in water. Persistence and degradability Not readily biodegradable in water. 2:13. Bioaccumulative potential Not readily biodegradable in water. 12.3. Bioaccumulative potential 6,62 (Equivalent or similar to OECD 305, 56 day(s), Lepomis macrochirus, Experimental value, Fresh weight) Partition coefficient n-octanol/water (Log Pow) -0,9 – 0,99 (Experimental value, EU Metho	1,2-benzisothiazol-3(2H)-one (2634-33-5)	
aysten, Experimental value, Nominal concentration) EC60 - Crustacea [1] 2,94 mgl (OECD 202: Daphinia sp. Acute Immobiliation Test, 48 h, Daphinia mgna, Sitatic system, Experimental value, Lethan) EC50 algae 150 µgl (OECD 201: Aga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Experimental value, GLP) mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H isothiazol-3-one [EC no. 220-239-6] (3:1) (55965-84-9) EC50 - Orustacea [1] 0.007 mgl (48 h, Acartia tonsa, Salt water, Experimental value, GLP) 2-methyl-2H-isothiazol-3-one (2682-204) EC50 orustacea [1] 2-methyl-2H-isothiazol-3-one (2682-204) Static system, Experimental value, GLP) 12.2. Persistence and degradability Not readily biodegradable in water. 12.3. foro-2-methyl-2H-isothiazol-3-one (2682-20-4) Not readily biodegradable in water. Persistence and degradability Not readily biodegradable in water. 21.1. (15956-84-9) Not readily biodegradable in water. 21.3. Bioaccumulative potential Lop = 0.99 (Experimental value, EU Method A &: Partition Coefficient, 20 °C) 21.3. Bioaccumulative potential Lop = 0.99 (Experimental value, EU Method A &: Partition Coefficient, 20 °C) 21.3. Bioaccumulative potential Lop = 0.99 (Experimental value, EU Method A &: Partition Coefficient, 20 °C) 21.3. Bioaccumulati		2.18 mg/l (OECD 203: Fish Acute Taxisity Tast 06 h. Opearburghus myking Statis
Static system, Experimental value, Lethai) ErC50 algae 150 µgl (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Experimental value, GLP) mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (55965-84-9) EC50 clogae 0.23 mgl (Equivalent or similar to OECD 201, 96 h, Pseudokirchneriella subcapitata, Static system, Experimental value, GLP) 2-methyl-2H-isothiazol-3-one (2682-20-4) EC50 clogae 12.2. Persistence and degradability Not readily biodegradable in water. 12.1. Persistence and degradability Not readily biodegradable in water. Persistene and degradability Not readily biodegradable in water. 12.3. Bioaccumulative potential 0.9 - 0.99 (Experimental value, EU Method A8: Partition Coefficient, 20 °C) BCF - Fish [1] 6.62 (Equivalent or similar to OECD 305, 56 day(s), Lepomis macrochirus, Experimental value, Fresh weight) Partition coefficient n-octanol/water (Log Pow) 0.9 - 0.29 (Experimental value, EU Method A8: Partition Coefficient, 20 °C) Bioaccumulative potential Curv pot		
Experimental value, GLP) mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (55965-84-9) EC50 - Crustoscea [1] 0.007 mgl (48 h, Acartia tonsa, Salt water, Experimental value, GLP) 2-methyl-2H-isothiazol-3-one (2682-20-4) EC50 and Equivalent or similar to OECD 201, 96 h, Pseudokirchneriella subcapitala, Static system, Experimental value, GLP) 12.2. Persistence and degradability 0.03 mgl (Equivalent or similar to OECD 201, 96 h, Pseudokirchneriella subcapitala, Static system, Experimental value, GLP) 12.3. Persistence and degradability Not readily biodegradable in water. mixture of: 5-chloro-2-methyl-12H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (55965-84-9) Persistence and degradability Not readily biodegradable in water. 2-methyl-2H-isothiazol-3-one (2682-20-4) Persistence and degradability Persistence and degradability Not readily biodegradable in water. 2.3. Bioeccumulative potential Labenzisothiazol-3(2H)-one (2634-33-5) BCF - Fish [1] G2 (Equivalent or similar to OECD 305, 56 day(s), Lepomis macrochirus, Experimental value, Fresh weight) Partition coefficient n-octanol/water (Log Pow) 0.9 o.99 (Experimental value, BCF < 500).	EC50 - Crustacea [1]	
(3:1) (55965-84-9) 0.007 mg/l (48 h, Acartia tonsa, Salt water, Experimental value, GLP) 2-methyl-2H-isothiazol-3-one (2682-20-4) EC50 algae 0.23 mg/l (Equivalent or similar to OECD 201, 96 h, Pseudokirchneriella subcepitala, Static system, Experimental value, GLP) 12.2. Persistence and degradability 12.2. Persistence and degradability Not readily biodegradable in water. mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) (55965-84-9) Persistence and degradability Persistence and degradability Not readily biodegradable in water. 2-methyl-2H-isothiazol-3-one (2682-20-4) Persistence and degradability Persistence and degradability Not readily biodegradable in water. 2-methyl-2H-isothiazol-3-one (2682-20-4) Persistence and degradability Persistence and degradability Not readily biodegradable in water. 2-methyl-2H-isothiazol-3-one (2682-30-4) Persistence and degradability Persistence and degradability Not readily biodegradable in water. 12.3. Bioaccumulative potential 1.2.5.0.0.0.5.56 day(s), Lepomis macrochirus, Experimental value, Fresh weight) Partition coefficient n-octanol/water (Log Pow) -0.9 -0.99 (Experimental value, EU Method A.8: Partition Coefficient, 20 °C) BiOaccumulative potential Low potential for bioaccumulation (BCF < 500). </td <td>ErC50 algae</td> <td></td>	ErC50 algae	
2.methyl-2H-isothiazol-3-one (2682-20-4) ErC50 algae 0.23 mg/l (Equivalent or similar to OECD 201, 96 h, Pseudokirchneriella subcapitata, Static system, Experimental value, GLP) 12.2. Persistence and degradability Not readily biodegradable in water. mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (55865-84-9) Persistence and degradability Not readily biodegradable in water. 2.methyl-2H-isothiazol-3-one (2682-20-4) Persistence and degradability Not readily biodegradable in water. 2.methyl-2H-isothiazol-3-one (2682-20-4) Persistence and degradability Not readily biodegradable in water. 12.3. Bioaccumulative potential 1.2-benzisothiazol-3(2H)-one (2634-33-5) BCF - Fish [1] 6.62 (Equivalent or similar to OECD 305, 56 day(s), Lepomis macrochirus, Experimental value, Fresh weight) Partition coefficient n-octanol/water (Log Pow) -0.9 - 0.9 0 (Steperimental value, EU Method A.8: Partition Coefficient, 20 °C) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	mixture of: 5-chloro-2-methyl-2H-isothiazol- (3:1) (55965-84-9)	-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6]
ErCSD algae 0.23 mg/l (Equivalent or similar to OECD 201, 96 h, Pseudokirchneriella subcapitata, Static system, Experimental value, GLP) 12.2. Persistence and degradability Not readily biodegradable in water. mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) (55965-84-9) Persistence and degradability Not readily biodegradable in water. 2-methyl-2H-isothiazol-3-one (2682-20-4) Persistence and degradability Not readily biodegradable in water. 2.3. Bioaccumulative potential 12-benzisothiazol-3(2H)-one (2684-33-5) BCF - Fish [1] 6.62 (Equivalent or similar to OECD 305, 56 day(s), Lepomis macrochirus, Experimental value, Fresh weight) Partition coefficient n-octanol/water (Log Pow) -0,9 - 0.99 (Experimental value, EU Method A.8: Partition Coefficient, 20 °C) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	EC50 - Crustacea [1]	0,007 mg/l (48 h, Acartia tonsa, Salt water, Experimental value, GLP)
Static system, Experimental value, GLP) 12.2. Persistence and degradability Not readily biodegradable in water. Persistence and degradability Not readily biodegradable in water. mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) (55965-84-9) Persistence and degradability Not readily biodegradable in water. 2-methyl-2H-isothiazol-3-one (2682-20-4) Persistence and degradability Not readily biodegradable in water. 2.methyl-2H-isothiazol-3-one (2682-20-4) Persistence and degradability Not readily biodegradable in water. 2.methyl-2H-isothiazol-3(2H)-one (2634-33-5) BCF - Fish [1] 6.62 (Equivalent or similar to OECD 305, 56 day(s), Lepomis macrochirus, Experimental value, Fresh weight) Partition coefficient n-octanol/water (Log Pow) -0,99 (Experimental value, EU Method A.8: Partition Coefficient, 20 °C) BCF - Fish [1] Colspan= 2:methyl-2H-isothiazol-3:one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3:one [EC no. 220-239-6] (3:1) (55965-84-9) BCF - Fish [1] Colspan= 2:methyl-2H-isothiazol-3:one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3:one [EC no. 220-239-6] (3:1) (55965-84-9)	2-methyl-2H-isothiazol-3-one (2682-20-4)	
1,2-benzisothiazol-3(2H)-one (2634-33-5) Persistence and degradability Not readily biodegradable in water. mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (55965-84-9) Persistence and degradability Not readily biodegradable in water. 2-methyl-2H-isothiazol-3-one (2682-20-4) Persistence and degradability Not readily biodegradable in water. 12.3. BiOaccumulative potential 1.2-benzisothiazol-3(2H)-one (2634-33-5) BCF - Fish [1] 6,62 (Equivalent or similar to OECD 305, 56 day(s), Lepomis macrochirus, Experimental value, Fresh weight) Partition coefficient n-octanol/water (Log Pow) -0,9 - 0,99 (Experimental value, EU Method A.8: Partition Coefficient, 20 °C) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	ErC50 algae	
Persistence and degradability Not readily biodegradable in water. mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) (55965-84-9) Persistence and degradability Persistence and degradability Not readily biodegradable in water. 2-methyl-2H-isothiazol-3-one (2682-20-4) Persistence and degradability Persistence and degradability Not readily biodegradable in water. 12.3. Bioaccumulative potential 1 12.4 benzisothiazol-3(2H)-one (2634-33-5) BCF - Fish [1] BCF - Fish [1] 6.62 (Equivalent or similar to OECD 305, 56 day(s), Lepomis macrochirus, Experimental value, Fresh weight) Partition coefficient n-octanol/water (Log Pow) -0,9 - 0.99 (Experimental value, EU Method A.8: Partition Coefficient, 20 °C) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	12.2. Persistence and degradability	
mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (55965-84-9) Persistence and degradability Not readily biodegradable in water. 2-methyl-2H-isothiazol-3-one (2682-20-4) Persistence and degradability Not readily biodegradable in water. 12.3. Bioaccumulative potential 1.2-benzisothiazol-3(2H)-one (2634-33-5) BCF - Fish [1] 6.62 (Equivalent or similar to OECD 305, 56 day(s), Lepomis macrochirus, Experimental value, Fresh weight) Partition coefficient n-octanol/water (Log Pow) -0,9 - 0,99 (Experimental value, EU Method A.8: Partition Coefficient, 20 °C) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	1,2-benzisothiazol-3(2H)-one (2634-33-5)	
(3:1) (55965-84-9) Not readily biodegradable in water. Persistence and degradability Not readily biodegradable in water. 2-methyl-2H-isothiazol-3-one (2682-20-4) Persistence and degradability Persistence and degradability Not readily biodegradable in water. 12.3. Bioaccumulative potential 12-benzisothiazol-3(2H)-one (2634-33-5) BCF - Fish [1] 6.62 (Equivalent or similar to OECD 305, 56 day(s), Lepomis macrochirus, Experimental value, Fresh weight) Partition coefficient n-octanol/water (Log Pow) -0.9 – 0.99 (Experimental value, EU Method A.8: Partition Coefficient, 20 °C) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	Persistence and degradability	Not readily biodegradable in water.
2-methyl-2H-isothiazol-3-one (2682-20-4) Persistence and degradability Not readily biodegradable in water. 12.3. Bioaccumulative potential 12.5. Fish [1] 6,62 (Equivalent or similar to OECD 305, 56 day(s), Lepomis macrochirus, Experimental value, Fresh weight) Partition coefficient n-octanol/water (Log Pow) -0,9 - 0,99 (Experimental value, EU Method A.8: Partition Coefficient, 20 °C) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	mixture of: 5-chloro-2-methyl-2H-isothiazol- (3:1) (55965-84-9)	-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6]
Persistence and degradability Not readily biodegradable in water. 12.3. Bioaccumulative potential 1.2-benzisothiazol-3(2H)-one (2634-33-5) BCF - Fish [1] 6,62 (Equivalent or similar to OECD 305, 56 day(s), Lepomis macrochirus, Experimental value, Fresh weight) Partition coefficient n-octanol/water (Log Pow) -0,9 - 0,99 (Experimental value, EU Method A.8: Partition Coefficient, 20 °C) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	Persistence and degradability	Not readily biodegradable in water.
12.3. Bioaccumulative potential 1,2-benzisothiazol-3(2H)-one (2634-33-5) BCF - Fish [1] 6,62 (Equivalent or similar to OECD 305, 56 day(s), Lepomis macrochirus, Experimental value, Fresh weight) Partition coefficient n-octanol/water (Log Pow) -0,9 - 0,99 (Experimental value, EU Method A.8: Partition Coefficient, 20 °C) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	2-methyl-2H-isothiazol-3-one (2682-20-4)	
1,2-benzisothiazol-3(2H)-one (2634-33-5) BCF - Fish [1] 6,62 (Equivalent or similar to OECD 305, 56 day(s), Lepomis macrochirus, Experimental value, Fresh weight) Partition coefficient n-octanol/water (Log Pow) -0,9 - 0,99 (Experimental value, EU Method A.8: Partition Coefficient, 20 °C) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	Persistence and degradability	Not readily biodegradable in water.
BCF - Fish [1] 6,62 (Equivalent or similar to OECD 305, 56 day(s), Lepomis macrochirus, Experimental value, Fresh weight) Partition coefficient n-octanol/water (Log Pow) -0,9 - 0,99 (Experimental value, EU Method A.8: Partition Coefficient, 20 °C) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	12.3. Bioaccumulative potential	
value, Fresh weight) -0,9 – 0,99 (Experimental value, EU Method A.8: Partition Coefficient, 20 °C) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	1,2-benzisothiazol-3(2H)-one (2634-33-5)	
Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	BCF - Fish [1]	
mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) (55965-84-9) BCF - Fish [1] 41 – 54 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, Fresh weight) Partition coefficient n-octanol/water (Log Pow) 0,75 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 24 °C) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	Partition coefficient n-octanol/water (Log Pow)	-0,9 – 0,99 (Experimental value, EU Method A.8: Partition Coefficient, 20 °C)
(3:1) (55965-84-9) BCF - Fish [1] 41 – 54 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, Fresh weight) Partition coefficient n-octanol/water (Log Pow) 0,75 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 24 °C) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
macrochirus, Flow-through system, Fresh water, Experimental value, Fresh weight)Partition coefficient n-octanol/water (Log Pow)0,75 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 24 °C)Bioaccumulative potentialLow potential for bioaccumulation (BCF < 500).	mixture of: 5-chloro-2-methyl-2H-isothiazol- (3:1) (55965-84-9)	-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6]
Method, 24 °C)Bioaccumulative potentialLow potential for bioaccumulation (BCF < 500).	BCF - Fish [1]	
2-methyl-2H-isothiazol-3-one (2682-20-4) BCF - Fish [1] 5,75 – 48,1 (56 day(s), Lepomis macrochirus, Flow-through system, Fresh water, Experimental value) Partition coefficient n-octanol/water (Log Pow) -0,486 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)	Partition coefficient n-octanol/water (Log Pow)	
BCF - Fish [1] 5,75 – 48,1 (56 day(s), Lepomis macrochirus, Flow-through system, Fresh water, Experimental value) Partition coefficient n-octanol/water (Log Pow) -0,486 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)	Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
Partition coefficient n-octanol/water (Log Pow)Experimental value)-0,486 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)	2-methyl-2H-isothiazol-3-one (2682-20-4)	
Flask Method, 25 °C)	BCF - Fish [1]	
Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).	Partition coefficient n-octanol/water (Log Pow)	
	Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.4. Mobility in soil			
1,2-benzisothiazol-3(2H)-one (2634-33-5)			
Surface tension	72,6 mN/m (20 °C, 0.1 %, EU Method A.5: Surface tension)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0,97 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)		
Ecology - soil	Highly mobile in soil.		
mixture of: 5-chloro-2-methyl-2H-isothiazol-3 (3:1) (55965-84-9)	3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6]		
Surface tension	No data available in the literature		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0,81 – 1 (log Koc, Calculated value)		
Ecology - soil	Highly mobile in soil.		
2-methyl-2H-isothiazol-3-one (2682-20-4)			
Surface tension	68,8 mN/m (19.5 °C, 1 g/l, OECD 115: Surface Tension of Aqueous Solutions)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1,06 (log Koc, OECD 106: Adsorption/Desorption Using a Batch Equilibrium Method, Experimental value, GLP)		
Ecology - soil	Highly mobile in soil.		
12.5. Results of PBT and vPvB assessment			
No additional information available			

12.6. Endocrine disrupti	ig properties
No additional information avai	able
12.7. Other adverse effect	ts

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods				
Regional legislation (waste)	: Disposal must be done according to official regulations.			
Waste treatment methods	: Handle cured product residues as dust-free as possible.			
Product/Packaging disposal recommendations	Do not dispose of the packaging without first carrying out the necessary cleaning. Disposal must be done according to official regulations. Entrust the thoroughly decontaminated packaging to a licensed waste-contractor.			
European List of Waste (LoW) code	: 08 01 20 - aqueous suspensions containing paint or varnish other than those mentioned in 08 01 19			

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1.	UN	number	or ID	number	

UN-No. (ADR)	: Not applicable
UN-No. (IMDG)	: Not applicable
UN-No. (IATA)	: Not applicable
UN-No. (ADN)	: Not applicable
UN-No. (RID)	: Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.2. UN proper shipping name	
Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Proper Shipping Name (ADN) Proper Shipping Name (RID)	 Not applicable Not applicable Not applicable Not applicable Not applicable
14.3. Transport hazard class(es)	
ADR Transport hazard class(es) (ADR)	: Not applicable
IMDG Transport hazard class(es) (IMDG)	: Not applicable
IATA Transport hazard class(es) (IATA)	: Not applicable
ADN Transport hazard class(es) (ADN)	: Not applicable
RID Transport hazard class(es) (RID)	: Not applicable
14.4. Packing group	
Packing group (ADR) Packing group (IMDG) Packing group (IATA) Packing group (ADN) Packing group (RID)	 Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable
14.5. Environmental hazards	
Dangerous for the environment Marine pollutant Other information	: No : No : No supplementary information available
14.6. Special precautions for user	
Overland transport Not applicable	
Transport by sea	

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors) VOC content : < 2,1 % (< 25 g/l)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Indication of changes

Section Changed item		Change	Comments
	Revision date	Modified	
	Supersedes	Modified	
	Issue date	Added	

Full text of H- and EUH-statements:		
Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2	
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
EUH208	Contains 1,2-benzisothiazol-3(2H)-one, mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2- methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1), 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.	
EUH210	Safety data sheet available on request.	
EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H310	Fatal in contact with skin.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A

Knauf SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.